EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	@ay<="2004" and (collect$3 or modif$4 or updat$3) with (configuration or dialup or dial-up or access or network or modem) adj (information or data or number or parameter or setting) same (client or user or device) and average with session with length with connection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 14:59
L2	3	@ay<="2004" and (collect$3 or modif$4 or updat$3 or access$3 or retriev$3 or extract$3) with (configuration or dialup or dial-up or access or network or modem) adj (information or data or number or parameter or setting) same (client or user or device) and average with session with length with connection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:01
L3	3	@ay<="2004" and (collect$3 or modif$4 or updat$3 or access$3 or retriev$3 or extract$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting) same (client or user or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:03

		and average with session with length with connection				
L4	3	@ay<="2004" and (collect$3 or modif$4 or updat$3 or access$3 or retriev$3 or extract$3) with (configuration or dialup or dial-up or access or network or modem) with (information or data or number or parameter or setting) same (client or user or device) and average with session with length with connection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:03
L5	61	@ay<="2004" and (collect$3 or modif$4 or updat$3 or access$3 or retriev$3 or extract$3) with (configuration or dialup or dial-up or access or network or modem) with (information or data or number or parameter or setting) same (client or user or device) and average with (session or connection) near3 length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:04
L6	36	@ay<="2004" and (collect$3 or modif$4 or updat$3 or access$3 or retriev$3 or extract$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting) same (client or user or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:04

		and average with (session or connection) near3 length				
L7	11	@ay<= "2004" and (conver$4 or modif $4 or updat$3 or chang$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting) same (client or user or device) and average with (session or connection) near3 length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:09
L8	1	@ay<= "2004" and (conver$4 or modif $4 or updat$3 or chang$3 or adjust$3 or configur$3 or reconfigur$3 or re-configur$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting) same (client or user or device) and average with (session or connection) near3 length same (performance or statistics)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:12

L9	15	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or configur$3 or reconfigur$3 or re-configur$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting) same (client or user or device) and average with (session or connection) near3 length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:12
L10	15	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or configur$3 or reconfigur$3 or re-configur$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting or environment) same (client or user or device) and average with (session or connection) near3 length	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 15:20
L11	27	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or configur$3 or reconfigur$3 or re-configur$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 16:23

		or environment) and average with (session or connection) near3 length				
L12	156	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or configur$3 or reconfigur$3 or re-configur$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting or environment) and average with (session or connection) near3 (time or period or length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 16:36
L13	47	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or configur$3 or reconfigur$3 or re-configur$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting or environment) and average with (session or connection) near3 (time or period or length) same (performance or statistics)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 16:37

L14	3	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust$3 or configur$3 or reconfigur$3 or re-configur$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting or environment) and average with (session or connection) near3 (time or period or length) same (performance same statistics)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 16:37
L15	34	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust$3 or configur$3 or reconfigur$3 or re-configur$3) with (configuration or dialup or dial-up or access or network or modem) near3 (information or data or number or parameter or setting or environment) same (client or user or device or modem) and average with (session or connection) near3 (time or period or length) same (performance or statistics)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/03 16:44

S1	22	@ay< ="2004" and collect$3 with (history or configuration) adj information same (network or dialup or dial-up) adj connection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 19:55
S2	9	@ay< ="2004" and collect$3 with (history or configuration) adj information same (network or dialup or dial-up) adj (parameter or connection) and policy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 19:56
S3	22	@ay< ="2004" and collect$3 with (history or configuration) adj information same (network or dialup or dial-up) adj (parameter or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 19:58
S4	18	@ay< ="2004" and collect$3 with (history or configuration or modem or access) adj (parameter or information or number) same client and (network or dialup or dial-up) adj (parameter or connection) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:03

S5	1	@ay<="2004" and collect$3 with (history or configuration or modem or access) near3 (parameter or information or number) and (network or dialup or dial-up or access) adj (parameter or connection or number) same (configuration adj information) same modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:04
S6	1	@ay<="2004" and collect$3 with (history or configuration or modem or access) with (parameter or information or number) and (network or dialup or dial-up or access) adj (parameter or connection or number) same (configuration adj information) same modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:05
S7	16	@ay<="2004" and collect$3 with (history or configuration or modem or access) with (parameter or information or number) and (network or dialup or dial-up or access) adj (parameter or connection or number) same (configuration adj information) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:08

S8	149	@ay<="2004" and (host or ISP or server) with collect $3 with (history or configuration or modem or access) and (network or dialup or dial-up or access) adj (parameter or connection or number) and (configuration adj information) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:09
S9	20	@ay<="2004" and (host or ISP or server) with collect $3 with (history or configuration or modem or access) same client and (network or dialup or dial-up or access) adj (parameter or connection or number) and (configuration adj information) same client and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:14
S10	1	@ay<="2004" and (host or ISP or server) with collect $3 with (history or past or previous) near3 (configuration or modem or access) and (network or dialup or dial-up or access or configuration) adj (parameter or connection or number or information) same (client and modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:15

S11	12	@ay<="2004" and (host or ISP or server) with collect $3 with (history or past or previous) near3 (configuration or modem or access) and (network or dialup or dial-up or access or configuration) adj (parameter or connection or number or information) same (client or modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:17
S12	9	@ay<="2004" and collect$3 with configuration near3 (history or past or previous) near3 (configuration or modem or access) and (network or dialup or dial-up or access or configuration) adj (parameter or connection or number or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:18
S13	9	@ay<="2004" and collect$3 with configuration near3 (history or past or previous) near3 (information or data or parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:20
S14	45	@ay<="2004" and collect$3 with (configuration or dialup or dial-up or access) adj (number or parameter or information or data) with (history or past or previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:22

S15	2	@ay<="2004" and collect$3 with (configuration or dialup or dial-up or access) adj (number or parameter or information or data) with (history or past or previous) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:21
S16	27	@ay<="2004" and (host or ISP or server or (service adj provider)) with collect$3 with (configuration or dialup or dial-up or access) near3 (number or parameter or information or data) same modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:25
S17	448	@ay<="2004" and collect$3 with (configuration or dialup or dial-up or access or history) adj (number or parameter or information or data) and (network or modem) adj connection and (access or dialup or dial-up) adj (number or information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:27
S18	17	@ay<="2004" and collect$3 with (configuration or dialup or dial-up or access or history) adj (number or parameter or information or data) same (client or user or device) and (network or modem) adj connection same (access or dialup or dial-up) adj	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:29

		(number or information or data)				
S19	3	@ay<="2004" and collect$3 with (configuration or dialup or dial-up or access or history) adj (number or parameter or information or data) same (client or user or device) and (modem near3 (pool or rack)) same (access or dialup or dial-up) adj (number or information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:29
S20	3	@ay<="2004" and collect$3 with (configuration or dialup or dial-up or access or history) adj (number or parameter or information or data) same (client or user or device) and (modem near3 (pool or rack)) same (access or dialup or dial-up) adj (number or information or data or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:29
S21	8	@ay<="2004" and collect$3 with (configuration or dialup or dial-up or access or history) adj (number or parameter or information or data) same (client or user or device) and (modem near3 (pool or rack)) same (access or dialup or dial-up) near3 (number or information or data or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:32

S22	124	@ay<="2004" and (collect$3 or modif $4) with network near3 (configuration or dialup or dial-up or access or history) same (client or user or device) and (modem) same (access or dialup or dial-up) near3 (number or information or data or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:34
S23	43	@ay<="2004" and (collect$3 or modif $4) with network near3 (configuration or dialup or dial-up or access or history) same (client or user or device) and (modem) same (access or dialup or dial-up) near3 (number or information or data or list) and (configuration adj information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:43
S24	134	@ay<="2004" and (collect$3 or modif $4 or updat$3) with (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) same (client or user or device) and (modem) same (access or dialup or dial-up) near3 (number or information or data or list) and (configuration adj information)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:44

S25	23	@ay<="2004" and (collect$3 or modif$4 or updat$3) with (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) same (client or user or device) and (modem) same (access or dialup or dial-up) near3 (number or information or data or list) same (configuration adj (data or information or parameter or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:48
S26	1351	@ay<="2004" and (collect$3 or modif$4 or updat$3) with (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) and (configuration adj (data or information or parameter or setting)) same network same connect$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:50
S27	2	@ay<="2004" and (collect$3 or modif$4 or updat$3) with (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) and (configuration adj (data or information or parameter or setting)) same (network near3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 20:51

		connect$3) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (satisf $4 or match$3) near3 (policy or criteria)				
S28	51	@ay< ="2004" and (collect$3 or modif $4 or updat$3 or chang$3 or adjust $3) with (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) and (configuration adj (data or information or parameter or setting)) same (network near3 connect$3) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (policy or criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:00
S29	463	@ay< ="2004" and (collect$3 or modif $4 or updat$3 or chang$3 or adjust $3) near3 (configuration or dialup or dial-up or access) near2 (information or data or number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:01

		(information or data or number or parameter or setting) with (policy or criteria)				
S30	74	@ay<="2004" and (collect$3 or modif$4 or updat$3 or chang$3 or adjust$3) near3 (configuration or dialup or dial-up or access) near2 (information or data or number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) near3 (policy or criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:02
S31	56	@ay<="2004" and (collect$3 or modif$4 or updat$3 or chang$3 or adjust$3) near3 (configuration or dialup or dial-up or access) near2 (information or data or number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) near3 (policy or	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:07

		criteria) and (modem or ((access or dialup or dial-up or dialin or dial) adj (number or information or data or list)))				
S32	46	@ay<="2004" and (collect$3 or modif$4 or updat$3 or chang$3 or adjust$3) near3 (configuration or dialup or dial-up or access or modem) near2 (information or data or number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) near3 (policy or criteria) and ((access or dialup or dial-up or dialin or dial-in or dial) adj (number or information or data or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:09
S33	23	@ay<="2004" and (collect$3 or modif$4 or updat$3 or chang$3 or adjust$3) near3 (configuration or dialup or dial-up or modem) near2 (information or data or number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:10

		(information or data or number or parameter or setting) with (assign $3 or predetermin$3 or client or user or subscrib$3 or QoS) near3 (policy or criteria) and ((access or dialup or dial-up or dialin or dial-in or dial) adj (number or information or data or list))				
S34	7	@ay<="2004" and (collect$3 or modif$4 or updat$3 or chang$3 or adjust $3) near3 (configuration or dialup or dial-up or modem or connection) near2 (number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign $3 or predetermin$3 or client or user or subscrib$3 or QoS) near3 (policy or criteria) and ((access or dialup or dial-up or dialin or dial-in or dial or telephone) adj (number or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:12

| S35 | 14 | @ay<="2004" and (collect$3 or modif$4 or updat$3 or chang$3 or adjust$3) near3 (configuration or dialup or dial-up or modem or connection) near2 (number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) same (policy or criteria) and ((access or dialup or dial-up or dialin or dial-in or dial or telephone) adj (number or list)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/11/02 21:14 |
| S36 | 11 | @ay<="2004" and (collect$3 or modif$4 or updat$3 or chang$3 or adjust$3) near3 (configuration or dialup or dial-up or modem or connection) near2 (number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/11/02 21:14 |

		criteria) same ((access or dialup or dial-up or dialin or dial-in or dial or telephone) adj (number or list))				
S37	105	@ay<="2004" and (collect$3 or modif $4 or updat$3 or chang$3 or adjust $3) near3 (configuration or dialup or dial-up or modem or connection) near2 (number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign $3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or criteria) and ((access or dialup or dial-up or dialin or dial-in or dial or telephone) adj (number or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:15
S38	55	@ay<="2004" and (collect$3 or modif $4 or updat$3 or chang$3 or adjust $3) near3 (configuration or dialup or dial-up or modem or connection) near2 (number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:15

		parameter or setting) with (assign $3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or criteria) and ((access or dialup or dial-up or dialin or dial-in or dial or telephone) adj (number or list)) and modem				
S39	38	@ay<="2004" and (collect$3 or modif $4 or updat$3 or chang$3 or adjust $3) near3 (configuration or dialup or dial-up or modem or connection) near2 (number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign $3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or criteria) and ((access or dialup or dial-up or dialin or dial-in or dial or telephone) adj (number or list)) and modem and (network or modem) adj connection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:15

| S40 | 33 | @ay<="2004" and (collect$3 or modif$4 or updat$3 or chang$3 or adjust$3) near3 (configuration or dialup or dial-up or modem or connection) near2 (number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or criteria) and ((access or dialup or dial-up or dialin or dial-in or dial or telephone) adj (number or list)) and modem and (network or modem) adj connect$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/11/02 21:22 |
| S41 | 19 | @ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust$3) near3 (dialup or dial-up or access) adj (number or parameter or setting or list) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/11/02 21:24 |

		criteria) and ((access or dialup or dial-up or dialin or dial-in or dial or telephone) adj (number or list)) and modem and (network or modem) adj connect $3				
S42	2	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3) near3 (dialup or dial-up) adj (number or parameter or setting or list or access) and (configuration or dialup or dial-up or access) adj (information or data or number or parameter or setting) with (assign $3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or criteria) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:26
S43	2	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3) near3 (dialup or dial-up) adj (number or parameter or setting or list or access) and (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) same (policy or criteria) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:26

S44	2	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3) near3 (dialup or dial-up) adj (number or parameter or setting or list or access) and (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or criteria) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:26
S45	2	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3) near3 (dialup or dial-up) adj (number or parameter or setting or list or access) and (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:26
S46	6	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3) with (dialup or dial-up) adj (number or parameter or setting or list or access) and (assign$3 or predetermin$3 or client or user or subscrib$3 or QoS) and (policy or criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:29

S47	25	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or manag$3) with (dialup or dial-up) adj (number or parameter or set$4 or list$3 or access $3) and (policy or criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:32
S48	569	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or provid$3) with (dialup or dial-up) near3 (number or parameter or set$4 or list$3 or access $3) and (policy or criteria or subscrib $3 or membership or price or cost or performance) with (client or user or device or subscriber or predetermin$3 or assign$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:34
S49	99	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or provid$3) with (dialup or dial-up) near3 (number or parameter or set$4 or list$3 or access $3) same (policy or criteria or subscrib $3 or membership or price or cost or performance) with (client or user or device or subscriber or predetermin$3 or assign$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:34

S50	62	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or provid$3) with (dialup or dial-up) near3 (number or parameter or set$4 or list$3 or access $3) same (policy or criteria or subscrib $3 or membership or price or cost or performance) with (client or user or device or subscriber or predetermin$3 or assign$3) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:34
S51	31	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3 or provid$3) near3 (dialup or dial-up) near3 (number or parameter or set $4 or list$3 or access $3) same (policy or criteria or subscrib $3 or membership or price or cost or performance) with (client or user or device or subscriber or predetermin$3 or assign$3) and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:36
S52	2	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3) with (dialup or dial-up) near3 (number or parameter or set$4 or list$3 or access $3) same (policy or criteria or subscrib $3 or membership or price or cost or performance) with (client or user or device or subscriber or predetermin$3 or	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:36

		assign$3) and (ISP or modem)				
S53	34	@ay<="2004" and (modif$4 or updat$3 or chang$3 or adjust $3) with (dialup or dial-up) near3 (number or parameter or set$4 or list$3 or access $3) and (policy or criteria or subscrib $3 or membership or price or cost or performance) with (client or user or device or subscriber or predetermin$3 or assign$3) and (ISP or modem)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/02 21:36

3/3/2008 7:03:38 PM
C:\Documents and Settings\qnguyen4\My Documents\EAST\Workspaces
\10519095_ModifyModemConfigurationData.wsp